

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: November 2015 -Rev. 12/30/2015- Void After: November 2016

Product: ABS-DWV Pipe and Fittings File No. 7606

Issued To: Supery Abs Pipe Fitting Co., Ltd
#12yumen Road, Zhouzhuang Town
Jiangyin, JIANGSU 214423
China

Identification: The pipe shall be marked on two sides 180° apart or spirally in letters not less than 3/16" high in a contrasting color and shall consist of the manufacturer's name or trademark, nominal pipe size, "ABS DWV" for pipe produced by single extrusion process, "COEX ABS DWV" for pipe produced by the coextrusion process, "ASTM D2661", the date of manufacture or date coding, the designation "B181.1" and the cUPC® certification mark, spaced at intervals of not more than 2 ft. Fittings shall be marked on the body or hub with manufacturer's name or trademark, or both, "ABS", "B181.1", and the cUPC® certification mark.

Characteristics: Single and coextruded layers of Acrylonitrile-Butadiene-Styrene (ABS) plastic drains, waste and vent (DWV) pipe and fittings made to schedule 40 iron pipe size (IPS). To be installed in accordance with the manufacturer's instructions and the requirements of the latest editions of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 2

-Rev. 12/30/2015-

Void After: November 2016

Product: ABS-DWV Pipe and Fittings

File No. 7606

Issued To: Supery Abs Pipe Fitting Co., Ltd

recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

National Plumbing Code of Canada

Products are in compliance with the following standard(s):

ASTM D2661-2014 and CSA B181.1-2011



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 3

-Rev. 12/30/2015-

Void After: November 2016

Product: ABS-DWV Pipe and Fittings

File No. 7606

Issued To: Supery Abs Pipe Fitting Co., Ltd

MODELS:

<u>Size</u>	<u>Part#</u>	<u>Description</u>
1 1/2"	2214	P-TRAP W/SOLVENT WELD JOINT
1 1/2"	2215	P-TRAP W/UNION
1 1/2"	2747	SLIP JOINT WASHER □ FLANGED WASHER
1 1/2"	2749	SLIP JOINT WASHER □ FLANGED WASHER
1 1/2"	2752	SANITARY TEE
1 1/2"	2822	WYE
1 1/2"	2871	LONG SWEEP 1/4 BEND
1 1/2"	2876	1/4 BEND
1 1/2"	2880	1/4 BEND □ STREET □ SPxH
1 1/2" x 1 1/4"	2748	SLIP JOINT WASHER □ FLANGED WASHER
2	2216	P-TRAP W/UNION
2	2222	P-TRAP W/SOLVENT WELD JOINT
2	2753	SANITARY TEE
2	2823	WYE
2	2858	COMBINATION WYE □ 1/8 BEND □ ONE PIECE
2	2872	LONG SWEEP 1/4 BEND
2	2877	1/4 BEND
2 x 1 1/2" x 1 1/2"	2761	SANITARY TEE □ REDUCING
2 x 1 1/2" x 2	2760	SANITARY TEE □ REDUCING
2 x 2 x 1 1/2"	2758	SANITARY TEE □ REDUCING
2 x 2 x 1 1/2"	2826	WYE □ REDUCING
2 x 2 x 1 1/2" x 1 1/2"	2817	DOUBLE SANITARY TEE □ REDUCING
2 x 2 x 2 x 2	2813	DOUBLE SANITARY TEE □ REDUCING
3	2230	P-TRAP W/SOLVENT WELD JOINT
3	2754	SANITARY TEE
3	2824	WYE
3	2852	COMBINATION WYE □ 1/8 BEND □ ONE PIECE
3	2873	LONG SWEEP 1/4 BEND
3	2878	1/4 BEND
3 x 3 x 1 1/2"	2764	SANITARY TEE □ REDUCING
3 x 3 x 1 1/2"	2827	WYE □ REDUCING
3 x 3 x 2	2763	SANITARY TEE □ REDUCING
3 x 3 x 2	2828	WYE □ REDUCING
3 x 3 x 2 x 2	2844	DOUBLE WYE □ REDUCING (VENT, only)
4	2825	WYE
4	2874	LONG SWEEP 1/4 BEND
4	2879	1/4 BEND
4 x 3	2228	ABS Closet Flanges, Spigot End with Adjustable Plastic Ring
4 x 3	2520	ABS Adjustable Closet Flange, WITH MOLDED TEST PLATE
4 x 4 x 2	2829	WYE □ REDUCING
4 x 4 x 3	2830	WYE □ REDUCING

Size Part# Description



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Product: ABS-DWV Pipe and Fittings

File No. 7606

Issued To: Supery Abs Pipe Fitting Co., Ltd

1 1/2"	2885	1/8 BEND
1 1/2"	2890	1/8 BEND STREET SPxH
1 1/2"	2899C	1/16 BEND; HxH
1 1/2"	2922	FITTING CLEANOUT ADAPTER
1 1/2"	2933	COUPLING
1 1/2"	2938	CLEANOUT PLUG MPT
1 1/2"	2965	REPAIR COUPLING
1 1/2"	2977	SOCKET CAP
1 1/2"	3383	TRAP ADAPTER, MALE, W/PLASTIC NUT WASHER; SJxH
1 1/2"	3413+2938	FLUSH CLEANOUT TEE
1 1/2" x 1 1/4"	3384	TRAP ADAPTER, MALE, W/PLASTIC NUT WASHER; SJxH
2	2881	1/4 BEND STREET SPxH
2	2886	1/8 BEND
2	2891	1/8 BEND STREET SPxH
2	2900C	1/16 BEND; HxH
2	2923	FITTING CLEANOUT ADAPTER
2	2934	COUPLING
2	2939	CLEANOUT PLUG MPT
2	2966	REPAIR COUPLING
2	2978	SOCKET CAP
2	3414+2939	FLUSH CLEANOUT TEE
2 x 1 1/2"	2906	FLUSH BUSHING SPxH STYLE #3
2 x 1 1/2"	2948	PIPE INCREASER/REDUCER
3	2882	1/4 BEND STREET SPxH
3	2887	1/8 BEND
3	2901C	1/16 BEND; HxH
3	2935	COUPLING
3	2941	CLEANOUT PLUG MPT
3	2967	REPAIR COUPLING
3	2979	SOCKET CAP
3	3415+2941	FLUSH CLEANOUT TEE
3 x 2	2908	FLUSH BUSHING SPxH STYLE #3
4	2888	1/8 BEND
4	2893	1/8 BEND STREET SPxH
4	2936	COUPLING
4	2942	CLEANOUT PLUG MPT
4	2968	REPAIR COUPLING
4	2980	SOCKET CAP
4 x 2	2910	FLUSH BUSHING SPxH STYLE #3
4 x 3	2909	FLUSH BUSHING SPxH STYLE #3
6	3132	1/8 BEND

<u>Size</u>	<u>Part#</u>	<u>Description</u>
1 1/2"	1001	ABS EXPANSION JOINT, HxH
1 1/2"	2853	ABS COMBINATION WYE 1/8 BEND ONE PIECE
1 1/2"	2866	1 1/2" FEMALE ADAPTER; HxFPT



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 5

-Rev. 12/30/2015-

Void After: November 2016

Product: ABS-DWV Pipe and Fittings

File No. 7606

Issued To: Supery Abs Pipe Fitting Co., Ltd

1 1/2"	2895	ABS 1/6 BEND
1 1/2"	2899	ABS 1/16 BEND;HxH
1 1/2"	2927	ABS MALE ADAPTER[HxMPT
1 1/2"	2984	ABS 1/16 BEND[STREET[SPxH
1 1/2"	3045	ABS DOUBLE 1/4 BEND
1 1/2"	3060	ABS LONG SWEEP 1/4 BEND[STREET[SPxH
1 1/2"	3084	ABS VENT ELL
2	1002	ABS EXPANSION JOINT,HxH
3	2986	ABS 1/16 BEND[STREET[SPxH
3	3047	ABS DOUBLE 1/4 BEND
3	3063	ABS LONG SWEET 1/4 BEND[STREET[SPxH
3 x 3 x 1 1/2"	3041	ABS 1/4BEND,W/LOW HEEL INLET
3 x 3 x 2	3042	ABS 1/4BEND,W/LOW HEEL INLET
4	2983C	1/16 BEND;HxH
4 x 3	2252	ABS Closet Flanges, One-Piece Plastic, WITH MOLDED TEST PLATE
4 x 3	2253	ABS Closet Flanges, HUB END,FLUSH FIT WITH ASJUSTABLE PLASTIC RING
4 x 3	3093	CLOSET BEND HxH

Model No. Description

2221	1-1/2" LA-TRAP • W/UNION & ONE-PIECE POLY NUT
2226	4" CLOSET FLANGE • ADJUSTABLE • W/METAL RING-EPOXY COATED
2227	4" x 3"CLOSET FLANGE • ADJUSTABLE • W/METAL RING-EPOXY COATED
2227A	4" x 3"CLOSET FLANGE • ADJUSTABLE • W/METAL RING-EPOXY COATED WITH TEST CAP
2228	4" x 3"CLOSET FLANGE-SPIGOT • ADJUSTABLE • W/METAL RING-EPOXY COATED
2229	4" CLOSET FLANGE-SPIGOT • ADJUSTABLE • W/METAL RING-EPOXY COATED
2237	3" TOWAY CLEANOUT
2238	4" TOWAY CLEANOUT
2755	4" TEE • SANITARY
2831	2" x 1-1/2" x 1-1/2" WYE • REDUCING
2857	3" x 3" x 2" COMBINATION WYE & 1/8 BEND • REDUCING • ONE PIECE
2860	4" COMBINATION WYE & 1/8 BEND • REDUCING • ONE PIECE
2863	4" x 4" x 2"COMBINATION WYE & 1/8 BEND • REDUCING • ONE PIECE
2864	4" x 4" x 3" COMBINATION WYE & 1/8 BEND • REDUCING • ONE PIECE
2867	2" FEMALE ADAPTER;HxFPT
2869	3" FEMALE ADAPTER;HxFPT
2920	4" x 3" OFFSET CLOSET FLANGE • ADJUSTABLE W/METAL RING • EPOXY COATED
2928	2" ABS MALE ADAPTER[HxMPT
2929	3" ABS MALE ADAPTER[HxMPT
2950	3" x 2" PIPE INCREASER • REDUCER
2951	4" x 2" PIPE INCREASER • REDUCER
2952	4" x 3" PIPE INCREASER • REDUCER
2985	2" ELBOW • 1/16 BEND • STREET
3000	□3416+2942□ 4" TEE • CLEANOUT • W/CLEANOUT PLUG
3085	2" VENT ELL ELBOW
3108	3" X 4" ABS CLOSET BENDE REDUCING STREET WITH TEST CAP
3386	1-1/2" ADAPTER • MALE; SP x MPT
3389	MALE TRAP ADAPTER W/PLASTIC NUT & 1-1/2" & 1-1/4" WASHERS



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 6

-Rev. 12/30/2015-

Void After: November 2016

Product: ABS-DWV Pipe and Fittings

File No. 7606

Issued To: Supery Abs Pipe Fitting Co., Ltd

3396	4" FEMALE ADAPTER
3403	1-1/2" VENT TEE
3404	2" VENT TEE
3406	4" VENT TEE
CS2938	1-1/2" PLASTIC COUNTERSUNK PLUG
CS2939	2" PLASTIC COUNTERSUNK PLUG
CS2941	3" PLASTIC COUNTERSUNK PLUG
CS2942	4" PLASTIC COUNTERSUNK PLUG